

DOORLAM

MELAMİNLİ KAPI PANELİ | MELAMINE FACED DOOR PANEL

MO DERN DOORS


Every door opens to another world. Crown this world of yours with Doorlam Door Panels. These modern, classy and aesthetic panels will create an impressive atmosphere in your living quarters. Different designs will help you create a harmony with the decoration you desire for. Doorlam to a beautiful realm.

TECHNICAL SPECIFICATIONS

No need for extra polish, paint or any such process, Doorlam door panels saves you time and money. Doorlam is offered in 7 different designs: **Buz Meşe, Kastamonu Meşe, Zeugma, Urartu, Likya, Sümer and Babil.**

- It is a ready-made panel of 4 mm MDF surfaced with decorative paper.
- The panel can be used after pressing as it is in ready-to-use condition.
- Requires no extra operation, such as glazing or painting.
- Practical, provides cost and time advantage.

PANEL SPECIFICATIONS	SINGLE STILE	DOUBLE STILE
Panel size	2100x1830 mm	2100x1830 mm
Stile	215 mm	207,5 mm
Panel Width	700 mm	500 mm



KASTAMONU ENTEGRE/DOORLAM MEDELAM TECHNICAL SPECIFICATIONS

PROPERTY	STANDARD	UNIT	THICKNESS RANGE
			4 mm
DENSITY	TS EN 323	kg/m³	Min. 910
TOLERANCES ON NOMINAL DIMENSIONS	TS EN 14323	mm	<15 / ≥15 20 mm; +0,5/- 0,3; > 20 mm ± 0,5 $t_{max} - t_{min} \leq 0,6$
THICKNESS T RELATIVE TO NOMINAL VALUE			
THICKNESS T WITHIN THE BOARD			
LENGTH AND WIDTH	TS EN 14323	mm	± 5
EDGE DAMAGE	TS EN 14323	mm	≤ 10
SURFACE DEFECTS	TS EN 14323	mm²/m²	points ≤ 2
		mm/m²	line ≤ 20
RESISTANCE TO SCRATCHING	TS EN 14323	N	≥ 1,5
RESISTANCE TO CRACKING	TS EN 14323	Rating	≥ 3
RESISTANCE TO STAINING	TS EN 14323	Rating	≥ 3
RESISTANCE TO ABRASION	TS EN 14323	Revolution	Pattern Class 1 < 50 Plain Class 3A ≥ 150
RELEASE OF FORMALDEHYDE	TS EN ISO 12460-3	mg/m²h	E1 ≤ 3,5 E2, 3,5 < emission ≤ 8

For recent values, please consult Kastamonu Entegre Customer Services Department.



- DL115 BUZ MEŞE
- DL116 KASTAMONU MEŞE
- DL101 SÜMER
- DL102 BABİL
- DL103 URARTU
- DL104 ZEUGMA
- DL105 LİKYA

DL115 BUZ MEŞE

Original. Minimalist.
Favourite.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



DL116 KASTAMONU MESE

Classical. Warm.
Sincere.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



DL101 SÜMER

Ergonomic. Glamorous.
Distinctive.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



DL102 BABİL

Qualified. Special.
Charismatic.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



DL103 URARTU

Modest. Elite.
Comfortable.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



DL104 ZEUGMA

Colourful. Vivid.
Dynamic.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



DL105 LIKYA

Strong. Modern.
Natural.

DOUBLE STILE

Stile: 207,5 mm

Panel width: 500 mm

Panel Size: 2100x1830 mm



bridging **nature and life**