






Brochure 2024







Healthy Living Spaces with the Laminate Flooring Collections Having Hygiene⁺ Feature

To live a healthy life, It is extremely important to have living spaces that are clean and free from bacteria. Manufactured with advanced technology, all the products in our laminate flooring collections with Hygiene+ feature leave no space for bacteria to reproduce. Bacteria and microbe can be transferred to the flooring via shoes, spilled liquids, pets and other sources. However, the Hygiene+ feature does not allow bacteria and the microbes to reproduce. Both you and your loved ones' health are protected.

The results of tests conducted on our laminate flooring collections with Hygiene+ feature have proved that the bacterial activity expected to be seen is blocked up to 99.9% within 24 hours.

"The Blue Angel" is a certificate stating that laminate flooring products do not contain any chemicals that could be hazardous to health or environment.

Stepclick **River** series provide superior durability and protection against water and moisture for 72 hours.


Our products are manufactured in compliance with the NALFA Surface Swell Test and ISO 4760 standards.



(Tested according to ISO 22196)










SRV001 DANUBE OAK (OTN)

AC4 8 mm 4V










SRV002 TIGRIS OAK (OTN)

AC4 8 mm 4V










SRV003 DELAWARE OAK (OTN)

AC4 8 mm 4V










SRV004 GANGES OAK (OTN)

AC4 8 mm 4V











SRV005 THAMES OAK (OTN)

AC4 8 mm 4V










SRV006 NILE OAK (OTN)

AC4 8 mm 4V










SRV007 TRENT OAK (OTN)

AC4 8 mm 4V









SRV008 ERNE OAK (OTN)



8 X

Panel / Package: 8 Pieces Package: 1,899 m² ~14 kg

1205 mm



STEPCLICK

The Advantages of Laminate Flooring



1205 mm



01 - OVERLAY HIGH QUALITY SURFACE PROTECTION RESISTANT TO WEAR AND SCRATCH

02 - DECOR PAPER REFLECTING THE CHARACTERISTICS OF THE PRODUCT WITH A UNIQUE DESIGN

03 - HDF STRONG BASE PANEL, RESISTANT TO HIGH PRESSURE PRODUCED AS PER E1 NORM

> 04 - BALANCE PAPER PROTECTS AGAINST HUMIDITY AND DISTORTION

Laminate Flooring Classification

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1	AC2	AC3		AC4	AC5	AC6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (grou Min. 4 (g		Min. 5 (group 1, 2, 3)		



bridging nature and life



www.kastamonuentegre.com

